



# High Quality NSK BEARING LTD



50 mm x 90 mm x 20 mm SKF QJ 210 MA  
Angular Contact Ball Bearings

Bearing No. QJ 210 MA

QJ 210 MA Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.6
EAN	7316576631993
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3   ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	35 Degree   4 Point
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	50MM Bore; 90MM Outside Diameter; 20MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 3   ISO P6; No Filling Slot; No Snap Ring



## High Quality NSK BEARING LTD

Other Features	Split Inner Race
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	QJ 210 MA
Weight / LBS	1.31
d	1.969 Inch   50 Millimeter
B	0.787 Inch   20 Millimeter
D	3.543 Inch   90 Millimeter
inside diameter:	50 mm
precision rating:	ABEC 1 (ISO Class Normal)
outside diameter:	90 mm
cage material:	Brass
overall width:	20 mm
maximum rpm:	13000 RPM
internal clearance:	C0
finish/coating:	Uncoated
closure type:	Open
outer ring width:	20 mm
radial dynamic load capacity:	65.5 kN
fillet radius:	1 mm
radial static load capacity:	61 kN
series:	QJ
d	50 mm
D	90 mm
B	20 mm
d <sub>1</sub>	59.5 mm



## High Quality NSK BEARING LTD

$D_1$	76.5 mm
a	49 mm
$r_{1,2}$ min.	1.1 mm
$d_a$ min.	57 mm
$D_a$ max.	83 mm
$r_a$ max.	1 mm
Basic dynamic load rating C	65.5 kN
Basic static load rating $C_0$	61 kN
Fatigue load limit $P_u$	2.6 kN
Limiting speed	13000 r/min
Calculation factor A	0.0103
Calculation factor e	0.95
Calculation factor X	0.6
Calculation factor $Y_0$	0.58
Calculation factor $Y_1$	0.66
Calculation factor $Y_2$	1.07
Mass bearing	0.59 kg